


Aroclor 1016 and Mineral Oil on ZB-5HT**Column:** Zebron[™] ZB-5HT, GC Cap. Column 30 m x 0.32 mm x 0.10 µm, Ea**Phase:** 5% Phenyl 95% Dimethylpolysiloxane**Dimensions:** 30 meters x 0.32 mm x 0.1 µm**Order No:** 7HM-G015-02**Oven Profile:** 150 °C for 2 min to 420 °C @ 20 °C / min for 4.5 min**Carrier Gas:** Constant Flow Helium, 1.9 mL/min**Injection:** Split 51.575:1 1 µL @ 330°C**Detection:** Electron Capture (ECD) (380°C)**Analyst Note:** Aroclor 1016 @ 100ppb; Mineral Oil @ 1% in iso-Octane**Products used in this application:****ANALYTES:**

- 1 TCMX
- 2 DCOB
- 3 Aroclor 1016
- 4 Mineral oil

