## GC Application ID No.: 19253



## Siloxane Polymers on ZB-1XT SimDist 5x0.53x0.09

	-
Column:	Zebron™ ZB-1XT SimDist Metal, GC Cap. Column 5 m x 0.53 mm x 0.09 µm, Ea
Phase:	100% Dimethylpolysiloxane
Dimensions:	5 meters x 0.53 mm x 0.09 µm
Order No:	7AK-G026-55
<b>Oven Profile:</b>	35 °C to 430 °C @ 10 °C/min for 20 min.
Carrier Gas:	Constant Flow Helium, 15 mL/min

Injection: On-Column :1 1 µL @ 53°C

**Detection:** Flame Ionization (FID) (450°C)


Analyst Note: This chromatogram has been baseline subtracted. Sample was silicone caulk dissolved in CS2.



Products used in this application:



19253



## **ANALYTES:**

1 Siloxane polymers

©2025 Phenomenex Inc. All rights reserved.

Phenomenex products are available worldwide.

www.phenomenex.com.cn

For more information contact your Phenomenex Representative at info@phenomenex.com

info@phenomenex.com