# **HPLC Application**

ID No.: 22035



## Nicotine and Metabolites by SPE using Gemini NX-C18, LC-MSMS\_Fig.2

Gemini® 3 µm NX-C18 110 Å, LC Column 50 x 2 mm, Ea

**Dimensions:** 50 x 2 mm ID Order No: 00B-4453-B0 **Elution Type:** Gradient

Eluent A: 20mM Ammonium Bicarbonate

**Eluent B:** 100% Acetonitrile

Gradient	Step No.	Time (min)	Pct A	Pct B
Profile:	1	0	90	10
	2	3	25	75
	3	3.1	90	10
	4	5	90	10

Products used in this application:




Flow Rate: 500 μL/min 25 °C Col. Temp.:


1.00e6-


Tandem Mass Spec (MS-MS) @ (ambient) **Detection:** 

**Detector Info:** <a target="\_blank"

campaign=20100%20application0%20cearch&utm\_source=phenomenex&utm\_medium=referral">SCIEX< 5.0e5 0.0 1.5 0.5 1.0 2.0 2.5 3.0 3.5 4.0 4.5 min 1.73







### **ANALYTES:**

Nornicotine

Retention Time: 1.09 min 3-OH-Cotinine

Retention Time: 1.16 min

Anabasine

Retention Time: 1.71 min

Cotinine

Retention Time: 1.73 min

Nicotine

Retention Time: 2.31 min

©2025 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at info@phenomenex.com



Phenomenex products are available worldwide. www.phenomenex.com.cn

info@phenomenex.com

## **Sample Preparation Details**

for **HPLC** Application ID No.: **22035** 



### Nicotine and Metabolites by SPE using Gemini NX-C18, LC-MSMS\_Fig.2

### **PRODUCT DESCRIPTION:**

Strata<sup>™</sup>-X-C 33 µm Polymeric Strong Cation, 60 mg / 3 mL, Tubes , 50/Pk

Order No.: 8B-S029-UBJ

### **SOLID PHASE EXTRACTION (SPE) PRODCEDURE:**

**Note:** The solvent volumes shown below are for a 60 mg bed mass.

The solvent volumes will need to be adjusted for a smaller or larger bed mass.

Condition:
Load:
Loau:
Wash:
Dry:
> 10" Hg for 5 min to remove residual water
Elute:
Final Prep and Analysis:
Reconstitution Solvent: 500uL Acetonitrile/20mM Ammonium bicarbonate (10:90)
T : 1 40 1 UDICT 1 M C (MCMC) 0 ( 1: 1)

Inject: 10 μL on HPLC Tandem Mass Spec (MS-MS) @ (ambient)

ANAL	YTES:	Spiked Conc. (ng/mL)	Log P	pKa	% Rec	%RSC (n=0)
1	Nornicotine	0				
2	3-OH-Cotinine	0				
3	Anabasine	0				
4	Cotinine	0				
5	Nicotine	0				

This method is designed as a convenient starting point for further investigation and can be tailored to meet your extraction goals. Call your local Phenomenex Representative for assistance in method development and optimization techniques.

©2025 Phenomenex Inc. All rights reserved.

For more information contact your Phenomenex Representative at info@phenomenex.com

